



# Pink Gel, Ethanol Gel

## Safety Data Sheet

according to Federal Register / Vol. 89, No. 98/Monday, May 20, 2024 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)  
Issue date: 1/7//2026 Version: 1.0

### SECTION 1 Identification

#### 1.1. Product identifier

Product form : Mixture  
Name : Pink Gel, Ethanol Gel  
Product code : P045; P200; P004

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Maintaining acceptable serving temperatures in buffet dishes containing warm, cooked food.

#### 1.4. Supplier's details

Pico Hospitality Inc  
PO Box 93032  
Newmarket, ON L3Y 8K3  
Canada  
Tel.: +1 (800) 267-6428

#### 1.5. Emergency phone number

Emergency number : ChemTel Inc.  
+1 (800) 255-3924 (North America)  
+1 (801) 1 (813)248-0585 (International)

### SECTION 2 Hazard Identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Flammable solid, Category 1	H228	Flammable solid.
Serious eye damage/eye irritation, Category 2A	H319	Causes serious eye irritation.

Full text of H statements : see section 16

#### 2.2. Label elements

##### GHS US labeling

Hazard pictograms (GHS) :



Signal word (GHS) : Danger  
Hazard statements (GHS) : H228 - Flammable solid  
H319 - Causes serious eye irritation  
Precautionary statements (GHS) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P240 - Ground/bond container and receiving equipment  
P241 - Use explosion-proof ventilating, lighting, electrical equipment.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P280 - Wear protective clothing, eye and face protection, protective gloves.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 - If eye irritation persists: Get medical attention.  
P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO<sub>2</sub>), dry extinguishing powder, extinguishing powder, Foam, sand, Water fog to extinguish.

# Pink Gel, Ethanol Gel

## Safety Data Sheet

according to Federal Register / Vol. 89, No. 98/Monday, May 20, 2024 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

### 2.4. Hazards not otherwise classified

Other hazards not contributing to the classification : There are no other hazards not otherwise classified that have been identified.

### 2.5. Unknown acute toxicity

20% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)

100% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

20% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Ethanol	CAS-No.: 64-17-5	60 – 80	Flam. Liq. 2, H225 Carc. 1A, H350

Comments : Exact concentrations are withheld as trade secret.

Full text of hazard classes and H-statements : see section 16

## SECTION 4 First aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting.

### 4.2. Most important symptoms/effects, acute and delayed

Potential Adverse human health effects and symptoms	: Causes eye irritation.
Symptoms/effects	: Causes eye irritation.
Symptoms/effects after inhalation	: Inhalation of vapors may cause respiratory irritation.
Symptoms/effects after skin contact	: None under normal use. Prolonged or repeated contact may cause skin to become dry.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.
Most Important Symptoms/Effects	: Headache, dizziness, causes eye irritation, gastric or intestinal disorders.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treatment : Treat symptomatically and supportively.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray.
Unsuitable extinguishing media	: Do not use a heavy water stream.

# Pink Gel, Ethanol Gel

## Safety Data Sheet

according to Federal Register / Vol. 89, No. 98/Monday, May 20, 2024 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

### 5.2. Specific hazards arising from the chemical

Fire hazard : Flammable solid. Watch out for invisible flames.  
Explosion hazard : May form flammable/explosive vapor-air mixture.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

#### For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing fume / vapors.  
Emergency procedures : Ventilate area.

Environmental precautions : Prevent entry to sewers and public waters.

### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Store away from other materials.

See Heading 8, Exposure controls and personal protection

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Eliminate all ignition sources if safe to do so. No open flames. No smoking. Avoid breathing fume, vapors. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.  
Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.  
Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.

### 7.2. Conditions for safe storage, including incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.  
Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep in fireproof place. Keep container tightly closed.  
Incompatible products : Strong bases. Strong acids. Strong oxidizers.  
Incompatible materials : Sources of ignition. Direct sunlight.

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

Ethanol (64-17-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanol
ACGIH TWA (mg/m <sup>3</sup> )	1884 mg/m <sup>3</sup>

# Pink Gel, Ethanol Gel

## Safety Data Sheet

according to Federal Register / Vol. 89, No. 98/Monday, May 20, 2024 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

Ethanol (64-17-5)	
ACGIH® TLV® TWA	1000 ppm
ACGIH® TLV® STEL	1000 ppm
Remark (ACGIH®)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2022
USA - OSHA - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
OSHA PEL TWA	1900 mg/m <sup>3</sup>
	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL TWA	1900 mg/m <sup>3</sup>
	1000 ppm

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Proper grounding procedures to avoid static electricity should be followed. Ensure good ventilation of the work station.

### 8.3. Individual protection measures, such as personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

<b>Hand protection:</b>
Wear protective gloves. butyl rubber. Neoprene. nitrile rubber gloves
<b>Eye protection:</b>
Chemical goggles or safety glasses
<b>Skin and body protection:</b>
Long sleeved protective clothing
<b>Respiratory protection:</b>
No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment. Handling large quantities of product: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

#### Thermal hazard protection:

Wear fire/flammable resistant/retardant clothing.

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

Physical state	: Solid
Appearance	: Gel
Color	: Pink
Odor	: Alcohol
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available

# Pink Gel, Ethanol Gel

## Safety Data Sheet

according to Federal Register / Vol. 89, No. 98/Monday, May 20, 2024 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

Freezing point	: No data available
Boiling point	: 78 °C (172.4 °F)
Flash point	: 13 °C (55.4 °F)
Flammability (solid, gas)	: Highly flammable Flammable solid.
Vapor pressure	: 59 hPa (44.3 mm Hg at 20 °C (68 °F))
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: Lower explosion limit: 3.5 vol % Upper explosive limit (UEL): 15 vol %
Explosive properties	: Product is not explosive. Vapors may form explosive mixture with air.
Oxidizing properties	: No oxidizing properties.
Particle characteristics	: No data available

Ethanol	
Particle characteristics	No data available

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

### 10.3. Possibility of hazardous reactions

Heating may cause a fire. None under normal use.

### 10.4. Conditions to avoid

Direct sunlight. Open flame. Overheating. Heat. Sparks.

### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

## SECTION 11 Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Additional information	: Human experience, Oral, Inhalation, Dermal: (Highly toxic)

Pink Gel, Ethanol Gel	
Unknown acute toxicity (GHS)	20% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 100% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 20% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

# Pink Gel, Ethanol Gel

## Safety Data Sheet

according to Federal Register / Vol. 89, No. 98/Monday, May 20, 2024 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

Ethanol (64-17-5)	
LD50 Oral rat	10470 mg/kg
LD50 Dermal rabbit	> 20000 mg/kg
LC50 Inhalation rat	133.8 mg/l/4h
ATE (oral)	10470 mg/kg body weight
ATE (vapors)	133.8 mg/l/4h
ATE (dust, mist)	133.8 mg/l/4h

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Causes serious eye irritation.  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified

Ethanol (64-17-5)	
IARC group	1 - Carcinogenic to humans* * Ethanol is associated with carcinogenic effects only in the context of chronic ingestion (alcoholic beverages). This product is not intended for ingestion, and carcinogenicity via dermal or inhalation exposure is not supported by available data. Therefore, the product is not classified for carcinogenicity.

Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified

Ethanol (64-17-5)	
LOAEL (oral,rat,90 days)	3200 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (oral,rat,90 days)	1730 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:

Aspiration hazard : Not classified

Pink Gel, Ethanol Gel	
Viscosity, kinematic	No data available

Ethanol (64-17-5)	
Viscosity, kinematic	1.366 mm <sup>2</sup> /s

Potential Adverse human health effects and symptoms : Causes eye irritation.  
Symptoms/effects : Causes eye irritation.  
Symptoms/effects after inhalation : Inhalation of vapors may cause respiratory irritation.  
Symptoms/effects after skin contact : None under normal use. Prolonged or repeated contact may cause skin to become dry.  
Symptoms/effects after eye contact : Causes eye irritation.  
Symptoms/effects after ingestion : May cause irritation to the digestive tract.  
Most Important Symptoms/Effects : Headache, dizziness, causes eye irritation, gastric or intestinal disorders.

## SECTION 12 Ecological information

### 12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified

# Pink Gel, Ethanol Gel

## Safety Data Sheet

according to Federal Register / Vol. 89, No. 98/Monday, May 20, 2024 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

Ethanol (64-17-5)	
LC50 fish 1	14200 mg/l
EC50 crustacea	5012 mg/l
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ErC50 algae	275 mg/l Source: ECHA

### 12.2. Persistence and degradability

Ethanol (64-17-5)	
Persistence and degradability	Rapidly degradable
Biodegradation	> 96 % 28 d

### 12.3. Bioaccumulative potential

Pink Gel, Ethanol Gel	
Bioaccumulative potential	Not established.

Ethanol (64-17-5)	
Log Pow	-0.32 Source: ICSC
Bioaccumulative potential	Not expected to bioaccumulate.

### 12.4. Mobility in soil

No data available

### 12.5. Other adverse effects

Fluorinated greenhouse gases : No  
Other information : Avoid release to the environment.

## SECTION 13 Disposal considerations

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information : Handle empty containers with care because residual vapors are flammable.  
Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

## SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

### 14.1. UN number

DOT NA No : UN1325  
UN-No. (TDG) : UN1325  
UN-No. (IMDG) : 1325  
UN-No. (IATA) : 1325

### 14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Flammable solids, organic, n.o.s. (Ethanol)  
Proper Shipping Name (TDG) : FLAMMABLE SOLID, ORGANIC, N.O.S. (Ethanol)  
Proper Shipping Name (IMDG) : FLAMMABLE SOLID, ORGANIC, N.O.S. (Ethanol)  
Proper Shipping Name (IATA) : Flammable solid, organic, n.o.s. (Ethanol)

# Pink Gel, Ethanol Gel

## Safety Data Sheet

according to Federal Register / Vol. 89, No. 98/Monday, May 20, 2024 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

### 14.3. Transport hazard class(es)

#### DOT

Transport hazard class(es) (DOT) : 4.1  
Hazard labels (DOT) : 4.1

#### TDG

Transport hazard class(es) (TDG) : 4.1  
Hazard labels : 4.1



#### IMDG

Transport hazard class(es) (IMDG) : 4.1  
Hazard labels (IMDG) : 4.1



#### IATA

Transport hazard class(es) (IATA) : 4.1  
Hazard labels (IATA) : 4.1



### 14.4. Packing group

Packing group (DOT) : II  
Packing group (TDG) : II  
Packing group (IMDG) : II  
Packing group (IATA) : II

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Transport in bulk

Not applicable

### 14.7. Special precautions for user

#### DOT

DOT NA No : UN1325

# Pink Gel, Ethanol Gel

## Safety Data Sheet

according to Federal Register / Vol. 89, No. 98/Monday, May 20, 2024 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

DOT Special Provisions (49 CFR 172.102)	: A1 - Single packaging are not permitted on passenger aircraft. IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 151
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 212
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 15 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 50 kg
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
<b>TDG</b>	
UN-No. (TDG)	: UN1325
Special Provisions	: 16 - 1) The technical name of the most dangerous substance related to the primary class must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(i)(A) of Part 3, Documentation. The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4, Dangerous Goods Safety Marks. 2) subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical: a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. An example in Canada is the "Food and Drugs Act".
ERAP Index	: 1000
Explosive Limit and Limited Quantity Index	: 1 kg
Excepted quantities (TDG)	: E2
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 15 kg
Emergency Response Guide (ERG) Number	: 133
<b>IMDG</b>	
Special provision (IMDG)	: 274

# Pink Gel, Ethanol Gel

## Safety Data Sheet

according to Federal Register / Vol. 89, No. 98/Monday, May 20, 2024 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

Limited quantities (IMDG)	: 1 kg
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P002
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B21, B4
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-G - SPILLAGE SCHEDULE Golf - FLAMMABLE SOLIDS AND SELF-REACTIVE SUBSTANCES
Stowage category (IMDG)	: B
Segregation (IMDG)	: SG72

### IATA

Special provision (IATA)	: A3, A803
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y441
PCA limited quantity max net quantity (IATA)	: 5kg
PCA packing instructions (IATA)	: 445
PCA max net quantity (IATA)	: 15kg
CAO packing instructions (IATA)	: 448
CAO max net quantity (IATA)	: 50kg
ERG code (IATA)	: 3L

## SECTION 15 Regulatory information

### 15.1. Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Ethanol	64-17-5	Present	Active	

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### CANADA

<b>Ethanol (64-17-5)</b>
Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

<b>Ethanol (64-17-5)</b>
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

# Pink Gel, Ethanol Gel

## Safety Data Sheet

according to Federal Register / Vol. 89, No. 98/Monday, May 20, 2024 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

### National regulations

#### Ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on KECI (Korean Existing Chemicals Inventory)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

### 15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

### SECTION 16 Other information

according to Federal Register / Vol. 89, No. 98/Monday, May 20, 2024 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

Issue date : 1/7/2026  
Other information : None.

#### Full text of H-phrases

H225	Highly flammable liquid and vapor
H228	Flammable solid
H319	Causes serious eye irritation
H350	May cause cancer.

#### Indication of changes:

Section	Changed item	Comments
		This is the first version of this SDS.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.