



POWER BOOSTING, WIDEST FLAME

BIG WICK CHAFING FUEL



100% DEG WICK FUEL

Safe, non-flammable & spill resistant



HIGHEST BTU OUTPUT

Fastest to maximum temperature



POP-TOP LID

Quick to open, store, and reuse



CLEAN BURN

Reliable performance every time



COOL TO THE TOUCH

Safe handling, worry-free use



PICO Item #: X200
Burn Time: 2 Hours (90g)
Case Pack: 24 Units
Unit Dimensions: 3.3 x 2.2"




PICO Item #: X400
Burn Time: 4 Hours (238g)
Case Pack: 24 Units
Unit Dimensions: 3.3 x 2.2"



Flat Pad Wick
Widest flame that delivers the fastest heat with the most powerful burn



Explore the Product
Scan here to learn more about Flat Pad Wick fuel, its applications, and full product specs.



Verified by third-party testing in a controlled environment using the food pan temperature.

GEL-LEVEL HEAT. WICK FUEL SAFETY.

Proven to match or exceed gel fuel temperatures.

- Peak Temperature**
Matches or exceeds the heat of traditional gel fuel.
- Fast to Food-Safe Heat**
Quickly reaches food safe serving temperatures.
- Advertised Burn Time**
Produces a longer burn time than gel.
- Even Heat Output**
Wide flat pad wick delivers steady heat throughout the burn.

OPTIMAL HEAT, STEADY FLAME

VESTA HEAT WICK CHAFING FUEL



100% DEG WICK FUEL

Safe, non-flammable & spill resistant



COOL TO THE TOUCH

Safe handling, worry-free use



STEM TOP LID

Easy to open, store and reuse



CLEAN BURN

Reliable performance every time



UNIVERSAL USE


Versatile fuel for any setting



PICO Item #: ST200
Burn Time: 2 Hours (80g)
Case Pack: 24 Units
Unit Dimensions: 2.6 × 2.2"




PICO Item #: ST600
Burn Time: 6 Hours (210g)
Case Pack: 24 Units
Unit Dimensions: 3.3 × 1.8"



Stem Top Wick
Narrow Width, steady flame, ensures optimal heat transfer.



Explore the Product
Scan here to learn more about Stem Top Wick fuel, its applications, and full product specs.



Verified by third-party testing in a controlled environment using the food pan temperature.

FASTER ACTIVATION

Proven to burn quicker than standard screw-top wick fuels.

- Peak Temperature**
Achieves higher maximum heat
- Fast to Food-Safe Heat**
Quickly reaches food safe serving temperatures.
- Rapid Heat-Up**
Faster heat-up to peak burn.
- Controlled Flame**
Narrow stem wick produces even, focused heat while minimizing waste.



RELIABLE HEAT, MAX EFFICIENCY

VESTA HEAT WICK CHAFING FUEL



100% DEG WICK FUEL

Safe, non-flammable & spill resistant



COOL TO THE TOUCH

Safe handling, worry-free use



SCREW TOP LID

Easy to seal, store, and reuse



CLEAN BURN

Reliable performance every time



UNIVERSAL USE

Versatile fuel for any application



PICO Item #: C400
Burn Time: 4 Hours (145g)
Case Pack: 24 Units
Unit Dimensions: 3.3 x 1.8"




PICO Item #: C600
Burn Time: 6 Hours (220g)
Case Pack: 24 Units
Unit Dimensions: 3.3 x 2.2"
Available in a retail 6 pk (C600-R)



Screw Top Wick Medium, steady flame that provides a balanced heat distribution



Explore the Product
Scan here to learn more about Screw Top Wick fuel, its applications, and full product specs.



Verified by third-party testing in a controlled environment using the food pan temperature.

TESTED. TRUSTED. RELIABLE.

Driven by performance

- **Maximum Temperature**
Reaches peak heat for optimal food holding.
- **Speed to Food-Safe Temperature**
Quickly reaches food safe serving temperatures.
- **Time to Maximum Temperature**
Fastest heat-up to peak burn.
- **Advertised Burn Time**
Consistently delivers the promised burn time.

SEE YOUR FUEL, KNOW YOUR BURN

IEWS CLEAR WICK CHAFING FUEL



100% DEG WICK FUEL

Safe, non-flammable & spill resistant



VISIBILITY

See the hours left in the can



SCREW TOP LID

Easy to seal, store, and reuse



SUSTAINABLE

Made with recyclable materials

DID YOU KNOW? See More. Save More.

With VIEWS Chafing Fuel, you use every drop—no waste. Traditional cans can lose up to 25%, costing up to 1.5 hours of burn time per can—*more product, more cost, and more risk of running out mid-service.*



PICO Item #: V420
Burn Time: 4 Hours (145g)
Case Pack: 24 Units
Unit Dimensions: 3.5 × 2.5"



Screw Top Wick Medium, steady flame that provides a balanced heat distribution



PICO Item #: V620
Burn Time: 6 Hours (220g)
Case Pack: 24 Units
Unit Dimensions: 3.5 × 2.5"
Available in a retail 6 pk (V620-R-48)



Explore the Product
Scan here to learn more about VIEWS Wick fuel, its applications, and full product specs.

BUILT TO BE SEEN

Approved Applications & Safety Guidelines




Temperature Limit
Max safe temperature: 300°F (149°C), Exceeding this may cause can deformation or melting



Application
Exclusively for chafing dishes & wire racks. Maintain 3" spacing between cans.



Warning
Do not use in Hot Boxes, Snuffer & Burner Holders. Do not touch, pull, or adjust the wick.



DEPENDABLE HEAT, GREEN CHOICE.

ENVIROFUEL™ ETHANOL GEL CHAFING FUEL



USDA CERTIFIED BIOBASED

Eco-friendly formula you can trust



CONSISTENT BURN

Even heat throughout your entire service



NO DAMAGE TO DISHES

Gentle on cookware, reliable heat



CLEAN BURN

Reliable performance every time



UNIVERSAL USE

Versatile fuel for any application



PICO Item #: P045
Burn Time: 45 Minutes (58g)
Case Pack: 144 Units
Unit Dimensions: 2.4 × 1.9"



79% Biobased means no harmful bi-products making it the cleanest burning gel fuel available!

**Not intended for direct food contact*




PICO Item #: P200
Burn Time: 2 Hours (165g)
Case Pack: 72 Units
Unit Dimensions: 3.3 × 1.8"
Available in a retail 12 pk (P200-12)



Explore the Product

Scan here to learn more about Ethanol Gel fuel, its applications, and full product specs.



Verified by third-party testing in a controlled environment using the food pan temperature.

GREENER HEAT, HIGHER TEMP

Maintains a consistent high temperature

- **Peak Temperature**
Burns hotter than methanol gel
- **Fast to Food-Safe Heat**
Achieves serving temperature more quickly
- **Consistent Performance**
Provides even, reliable heat from start to finish.
- **Energy Efficient**
Less fuel needed to maintain high heat, reducing waste.

HIGH HEAT, TRUSTED QUALITY

BLUE MAGIC METHANOL GEL CHAFING FUEL



HIGH QUALITY GEL
Pure, methanol gel for reliable heat



CONSISTENT BURN
Even heat from start to finish for perfect results



HIGH BTU OUTPUT
Delivers maximum heat for faster warming



FASTER TO MAX TEMP
Reaches peak temperature quickly



UNIVERSAL USE
Versatile fuel for any application




47mm Diameter Opening supports better heat distribution for a consistent flame and improved longer-lasting performance.



PICO Item #: M200
Burn Time: 2.5 Hours (165g)
Case Pack: 72 Units
Unit Dimensions: 3.3 × 2.2"
Available in a retail 12 pk (M200-12)



Explore the Product
Scan here to learn more about Methanol Gel fuel, its applications, and full product specs.



Verified by third-party testing in a controlled environment using the food pan temperature.

MAKE THE SWITCH TO BIG WICK

Proven to match or exceed gel fuel temperatures.

- Peak Temperature**
Matches or exceeds the heat of traditional gel fuel.
- Fast to Food-Safe Heat**
Quickly reaches food safe serving temperatures.
- Advertised Burn Time**
Produces a longer burn time than gel.
- Even Heat Output**
Wide flat pad wick delivers steady heat throughout the burn.

LEOLIGHT™

A Brand of PICO Hospitality Inc.



PRECISION HEAT, MAXIMUM SAFETY

BUTANE GAS CARTRIDGE



SAFETY

Shutoff valve and triple-wall design for certified protection



HEAT CONTROL

Fast, adjustable heat for consistent, reliable results



HIGH-PERFORMANCE

Clean-burning fuel with a steady, efficient flame



FASTER TO MAX TEMP

Reaches peak heat quickly for efficient high-performance



UNIVERSAL USE

Compatible with all standard stoves & torches



PICO Item #: BUT-12
Unit Volume: 8 oz
Case Pack: 12 Units
Unit Dimensions: 3.3 x 2.2"




UL Certified
Meets recognized international safety and performance standards.

IDEAL USE FOR BUTANE


Igniting the perfect moments



Table Top Cooking



Patio Parties



Camping



On the Go



Explore the Product
Scan here to learn more about Butane, its applications, and full product specs.

REAL FLAME, WITHOUT THE MESS.

LIQUIDLIGHT OIL CANDLES



REFINED PARAFFIN OIL

Burns with no smoke,
emits no smell



SUSTAINABLE

Made with
recyclable materials



SPILL RESISTANT

Reliable performance, no
leaks or drips



POP TOP LID

Quick to open, store,
and reuse



RANGE OF BURN TIMES

Choose between 8-50
hour burn times



PICO Item #: 708
Burn Time: 8 Hours
Case Pack: 180 Units
Dimensions: 1.5 × 1.3"



PICO Item #: 710
Burn Time: 10 Hours
Case Pack: 144 Units
Dimensions: 1.7 × 1.6"



PICO Item #: 712T
Burn Time: 12 Hours
Case Pack: 144 Units
Dimensions: 1.5 × 1.6"



PICO Item #: 712W
Burn Time: 12 Hours
Case Pack: 144 Units
Dimensions: 2 × 1.3"



PICO Item #: 715
Burn Time: 15 Hours
Case Pack: 96 Units
Dimensions: 1.8 × 1.8"



PICO Item #: 720
Burn Time: 20 Hours
Case Pack: 72 Units
Dimensions: 2 × 2.2"



PICO Item #: 725
Burn Time: 25 Hours
Case Pack: 72 Units
Dimensions: 2 × 2.2"



PICO Item #: 730W
Burn Time: 30 Hours
Case Pack: 48 Units
Dimensions: 2.3 × 1.9"



PICO Item #: 730T
Burn Time: 30 Hours
Case Pack: 36 Units
Dimensions: 1.4 × 5.5"



PICO Item #: 735
Burn Time: 35 Hours
Case Pack: 36 Units
Dimensions: 2.4 × 2.7"



PICO Item #: 740
Burn Time: 40 Hours
Case Pack: 36 Units
Dimensions: 2.4 × 2.8"



PICO Item #: 750
Burn Time: 50 Hours
Case Pack: 36 Units
Dimensions: 2.4 × 2.8"



PICO Item #: 220
1 Gallon Bulk Refill
Case Pack: 4 Units



Explore the Product

Scan here to learn more
about LiquidLight
Candles, its applications,
and full product specs.

REAL FLAME, BUILT TO PERFORM.

WAX CANDLES



REFINED PARAFFIN WAX

Burns with no smoke,
emits no smell



CONSISTENT

Designed for a safe,
clean, reliable burn



STRAIGHT BURNING

Compressed wax design for
a long-lasting flame



PRESENTATION

Delivers a steady, ambient
glow ideal for table settings



RANGE OF BURN TIMES

Choose between 5-60
hour burn times



Tealight Candles

PICO Item #: 305, 309

Burn Hours: 5, 9
Color: White
Case Pack: 500, 400
Dimensions: 1.5 x 0.6", 1.5 x 0.9"



Votive Candles

PICO Item #: 310W, 315W

Burn Hours: 10, 15
Color: White
Case Pack: 288, 144
Dimensions: 1.5 x 1.2", 1.5 x 1.8"



Clear-Glass Votive Candles

PICO Item #: 305-CL, 308-GF

Burn Hours: 5, 8
Color: White
Case Pack: 48 Units
Dimensions: 2 x 2"



Ventian Lowboys

PICO Item #: 432RD, 432FR, 432AM

Burn Hours: 45
Colors: Red(RD), Frost(FR), Amber(AM)
Case Pack: 12 Units
Dimensions: 3.7 x 3.7"



Floating Candles

PICO Item #: 1202W-36, 1203W

Burn Hours: 7, 10
Color: White
Case Pack: 36, 54
Dimensions: 2.25", 3"



Taper Candles

PICO Item #: 610W-144, 612W-144

Burn Hours: 10, 12
Color: White
Case Pack: 288, 144
Dimensions: 10", 12"



Pillar Candles

PICO Item #: 3X3W, 3X6W

Burn Hours: 30, 60
Color: White
Case Pack: 24, 12
Dimensions: 3 x 3", 3 x 6"



Explore the Product

Scan here to learn more about our
Wax Candles, its applications, and
full product specs.

VIDACASA

A Brand of PICO Hospitality Inc.



NO FLAME, NO PROBLEM.

INSTANT HOT CATERING SOLUTIONS

STEM TEMP AT
194°F (90°C)

**FOR 30+
MINUTES**



WATER ACTIVATED

Simply add water. No open flame required



FOOD SAFE

Made from Non-Toxic, Food-Safe Materials



DURABLE BUILD

Strong, reliable buffetware for repeated use



CLEAN BURN

No harmful by-products or emissions



EASY SETUP

Simple to use with quick cleanup



Full Size Instant Hot Kit
PICO Item #: IHB11X1-10-KIT
Includes: 10 Full Size Pans & 20 Heat Blaster Packs
Fits 1 full size pan (23 × 15 × 5")



Instant Hot Buffetware - Full
PICO Item #: IHB11X1
Includes: 50 Full Size Buffetware Trays
Fits 1 full size pan (23 × 15 × 5")



Heat Blaster Packs
PICO Item #: T30-50
Includes: 50 Heatblaster Packs
80g (0.20lbs)
High Heat Steam at 194°F (90°C)



Instant Hot Buffetware - Half
PICO Item #: IHB12-50-V2
Includes: 50 Half Size Buffetware Trays
Fits 1 half size pan (14 × 12 × 5")

HOT FOOD IN 3 EASY STEPS

No Flame, No Risk, No Mess.

- 1 Add Heat Blaster**
Set up your Instant Hot Buffetware (or buffetware with insert) and add Heat Blaster packet.
- 2 Add Water**
Add a small amount of water. Wait 1 minute.
TIP: Warmer water = faster activation!
- 3 Serve!**
Transport and serve! Perfect for delivery service and quick catering.



Explore the Product
Scan here to learn more about Instant Hot, its applications, and full product specs.

FAST SET-UPS & EFFICIENT CLEAN UP

FIXED WIRE RACKS



DURABLE

A strong, reliable base for catering setups



QUICK SET UP

Streamline buffet preparation and reduce setup time



FLEXIBLE USE

Full and Half size for different service needs



EASY TRANSPORT

Side handles allow for safe, comfortable carrying



STACKABLE

Compact design makes storage simple and efficient



Half Size - Fits 1 Can
PICO Item #: FWR-S-1-18
Case Pack: 18 Units
Unit Dimensions: 14.6 × 10.2 × 15.4"
Wire Diameter: 3.0 + 2.5 mm



Full Size - Fits 2 Cans
PICO Item #: FWR-L-2-32
Case Pack: 32 Units
Unit Dimensions: 14.6 × 10.2 × 15.4"
Wire Diameter: 3.0 + 2.5 mm

IDEAL USE FOR WIRE RACKS

Designed for on-the-go catering and high-volume service



Catering



Buffets



Drop-Off Service



Corporate Functions



Explore the Product
Scan here to learn more about Wire Racks, its applications, and full product specs.